

SAFETY DATA SHEET.

Issuing date 06-Jun-2017 Revision Date 06-Jun-2017 Version 2

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product name 80-771 DURA PLEX CHAIN & CABLE

Recommended use of the chemical

and restrictions on use

Product code F00522

<u>Product Type</u> Extremely Flammable Aerosol

Synonyms None

Supplier's details

Recommended Use Chain and Cable Lube.
Uses advised against No information available

Manufactured For: Kimball Midwest 4800 Roberts Rd. Columbus, OH 43228 800-233-1294

Emergency telephone number

Chemical Emergency Phone CHEMTREC: 1-800-262-8200 ID 1195 (UNITED STATES)

Number

2. HAZARDS IDENTIFICATION

Classification

Acute Toxicity - Oral	Category 4
Serious eye damage/eye irritation	Category 2A
Specific target organ toxicity (single exposure)	Category 3
Flammable aerosols	Category 1
Gases under pressure	Compressed Gas

GHS Label elements, including precautionary statements

Emergency Overview

DANGER

Hazard Statements

Harmful if swallowed

Causes serious eye irritation

May cause drowsiness or dizziness. May cause respiratory irritation.

Extremely Flammable Aerosol

Contains gas under pressure; may explode if heated



Appearance Opaque

Physical state Aerosol

Odor Solvent

Precautionary Statements - Prevention

Wear eye/face protection

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Avoid breathing dust/fume/gas/mist/vapors/spray

Use only outdoors or in a well-ventilated area

Keep away from heat/sparks/open flames/hot surfaces.-No smoking.

Do not spray on an open flame or other ignition source.

Pressurized container: Do not pierce or burn, even after use

Precautionary Statements - Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Call a POISON CENTER or doctor/physician if you feel unwell

If SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.

Rinse mouth

Precautionary Statements - Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

None

Other information

0% of the mixture consists of ingredient(s) of unknown toxicity.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No	Weight %*
ACETONE	67-64-1	20-30
POLYMERIC VISCOSITY MODIFIER	MIXTURE	20-30
PROPANE/ISOBUTANE/N-BUTANE	68476-86-8	20-30
PETROLEUM OIL	64742-62-7	10-20
NAPHTHENIC OIL, SEVERLY HYDROT	64742-52-5	1-10
POLYISOBUTYLENE	9003-27-4	1-10
PARAFFIN OIL	64741-88-4	0.1-1

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

First aid measures for different exposure routes

General advice Under normal conditions of intended use, this product does not pose a risk to Health. Avoid

contact with eyes, skin, and clothing. Avoid breathing vapors or mist.

Eye contact Immediately flush with plenty of water for at least 15 minutes. After initial flushing, remove

any contact lenses and continue flushing. Seek immediate medical attention/advice. If eye

irritation persists, consult a doctor.

Skin contact Wash off immediately with soap and plenty of water for at least 15 minutes. Get medical

attention immediately if symptoms occur. Remove and wash contaminated clothing before

re-use.

Inhalation Move to fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial

respiration. Get medical attention immediately. If breathing has stopped, contact emergency

medical services immediately. If symptoms persist, call a physician.

Ingestion Do NOT induce vomiting. Call a physician immediately. Never give anything by mouth to an

unconscious person. Risk of product entering the lungs on vomiting after ingestion.

Most important symptoms/effects, acute and delayed

Main Symptoms Harmful if swallowed. Causes serious eye irritation. May cause drowsiness or dizziness.

May cause respiratory irritation.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Water fog.Dry chemical. Carbon dioxide (CO2). Cool containers/tanks with water spray.

Unsuitable Extinguishing Media Do not use a solid water stream as it may scatter and spread fire.

Specific hazards arising from the chemical

Extremely Flammable/Flammable. Keep product and empty container away from heat and sources of ignition.

Explosion Data

Sensitivity to Mechanical Impact none. Sensitivity to Static Discharge Yes.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Use shielding to protect fire-fighters from bursting containers.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions

Use with adequate ventiliation to keep the exposure levels below the occupational exposure

limits.

Environmental precautions

Environmental precautions Vapors can accumulate in low areas. Report spills as required by local and federal

regulations.

Methods and materials for containment and cleaning up

Methods for Containment Absorb with earth, sand or other non-combustible material and transfer to containers for

later disposal. Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Absorb with sand ,clay, or other suitable material. Hard surfaces may be mopped with

water. Material can create slippery conditions. Dam up. Take up mechanically and collect in

suitable container for disposal. Clean contaminated surface thoroughly.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Avoid inhaling vapors or mists. May cause respiratory irritation if inhaled. Avoid contact with

skin, eyes, and clothing. Do not eat, drink, or smoke, when using this product. Handle in accordance with good industrial hygiene and safety practice. Remove and wash contaminated clothing before re-use. Keep away from open flames, hot surfaces, and sources of ignition. Take precautionary measures against static discharges. Do not puncture or incinerate cans. Do not stick pin or any other sharp object into opening on top

of can.

Conditions for safe storage, including any incompatibilities

Technical measures/Storage

conditions

Keep containers tightly closed in a dry and well-ventilated place. Keep away from open flames, hot surfaces and sources of ignition. Do not spray on hot surfaces. Keep in properly

labeled containers. Keep out of the reach of children. Store locked up.

Incompatible products Strong acids, alkalis, and oxidizing agents.

Aerosol Level 3

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines .				
	Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH

ACETONE	STEL: 500 ppm	TWA: 1000 ppm	IDLH: 2500 ppm
67-64-1	TWA: 250 ppm	TWA: 2400 mg/m ³	TWA: 250 ppm
		(vacated) TWA: 750 ppm	TWA: 590 mg/m ³
		(vacated) TWA: 1800 mg/m ³	
		(vacated) STEL: 2400 mg/m ³	
		The acetone STEL does not	
		apply to the cellulose acetate	
		fiber industry. It is in effect for all	
		other sectors	
		(vacated) STEL: 1000 ppm	
PROPANE/ISOBUTANE/N-BUTANE	74-98-6: TWA: 1000 ppm	74-98-6:TWA: 1000 ppm	74-98-6:IDLH: 2100 ppm
68476-86-8	106-97-8: STEL: 1000 ppm	TWA: 1800 mg/m ³	TWA: 1000 ppm
	75-28-5: STEL: 1000 ppm	(vacated) TWA: 1000 ppm	TWA: 1800 mg/m ³
		(vacated) TWA: 1800 mg/m ³	106-97-8:TWA: 800 ppm
		106-97-8: (vacated) TWA: 800	TWA: 1900 mg/m ³
		ppm	75-28-5:TWA: 800 ppm
		(vacated) TWA: 1900 mg/m ³	TWA: 1900 mg/m ³

ACGIH: (American Conference of Governmental Industrial Hygienists)

OSHA: (Occupational Safety & Health Administration) NIOSH IDLH: Immediately Dangerous to Life or Health

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 **Other Exposure Guidelines**

(11th Cir., 1992).

Exposure controls

Engineering Measures Ventilation systems. Use adequate ventilation to keep the exposure levels below the

occupational exposure limits.

Individual protection measures, such as personal protective equipment

Safety glasses with side-shields. **Eye/Face Protection**

Skin and body protection Chemical resistant apron. Protective gloves.

If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved Respiratory protection

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

Hygiene measures Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical and chemical properties

Physical state Aerosol Opaque **Appearance**

Solvent Odor

Color Dark Gray **Odor Threshold**

Property Values Remarks • Methods

No information available Melting/freezing point No information available

Boiling point/boiling range

Flash Point -96.4 °C / -141 °F Based on propellant

No information available **Evaporation rate** Flammability (solid, gas) No information available Flammability Limits in Air

upper flammability limit lower flammability limit

Vapor pressure

Vapor density

Specific Gravity 0.772 Water solubility Negligible

Partition coefficient: n-octanol/water

Autoignition temperature

No information available

Not applicable

Decomposition temperature

Viscosity

No information available

Explosive properties

Other information

VOC Content(%) 23.99

10. STABILITY AND REACTIVITY

Reactivity

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

None under normal processing.

Conditions to Avoid

Extremes of temperature and direct sunlight.

Incompatible Materials

Strong acids, alkalis, and oxidizing agents.

Hazardous Decomposition Products

Carbon oxides.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation Harmful if inhaled. May cause respiratory irritation. May cause drowsiness or dizziness.

Eye contact Causes serious eye irritation.

Skin contact May cause skin irritation.

Ingestion May be harmful if swallowed and enters airways.

Component Information

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation	
ACETONE	= 5800 mg/kg (Rat)	-	= 50100 mg/m ³ (Rat) 8 h	
67-64-1				
PROPANE/ISOBUTANE/N-BUTAN	-	-	=31mg/L (Rat) 4 hr	
E				
68476-86-8				
PETROLEUM OIL	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	= 2.18 mg/L (Rat) 4 h	
64742-62-7				
POLYISOBUTYLENE	>2000mg/kg (rat)	-	-	
9003-27-4				
PARAFFIN OIL	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	= 2.18 mg/L (Rat) 4 h	
64741-88-4	,	_ ,	_ , ,	

Information on toxicological effects

Revision Date 06-Jun-2017

Symptoms Harmful if swallowed. Causes serious eye irritation. May cause drowsiness or dizziness.

May cause respiratory irritation.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritationMay cause skin irritation.Eye damage/irritationCauses serious eye irritation.SensitizationNot a known sensitizer.

Germ Cell Mutagenicity Not a germ cell mutagen.

Carcinogenicity There are no carcinogenic chemicals in this product.

Reproductive toxicityThis product does not contain any known or suspected reproductive hazards.

Specific target organ systemic

toxicity (single exposure)
Specific target organ systemic toxicity (repeated exposure)

None under normal use conditions.

None under normal use conditions.

Chronic toxicity Chronic hydrocarbon abuse has been associated with irregular heart rhythms and potential

cardiac arrest.

Neurological effectsIntentional misuse by deliberately concentrating and inhaling contents may be harmful or

ataı.

Aspiration hazard May be harmful if swallowed and enters airways.

Numerical measures of toxicity - Product Information

Unknown Acute Toxicity 0% of the mixture consists of ingredient(s) of unknown toxicity.

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (dermal) 15150 mg/kg ATEmix (inhalation-gas) 198334 mg/l ATEmix (inhalation-dust/mist) 35.8 mg/l

12. ECOLOGICAL INFORMATION

Ecotoxicity

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to microorganisms	Toxicity to daphnia and other aquatic invertebrates
ACETONE 67-64-1	-	4.74 - 6.33 mL/L LC50 Oncorhynchus mykiss 96h 6210 - 8120 mg/L LC50 Pimephales promelas 96h static 8300 mg/L LC50 Lepomis macrochirus 96h	-	10294 - 17704 mg/L EC50 Daphnia magna 48h Static 12600 - 12700 mg/L EC50 Daphnia magna 48h
PROPANE/ISOBUTANE/N- BUTANE 68476-86-8	-	-	-	-
PETROLEUM OIL 64742-62-7	-	5000 mg/L LC50 Oncorhynchus mykiss 96h	-	1000 mg/L EC50 Daphnia magna 48h
NAPHTHENIC OIL, SEVERLY HYDROT 64742-52-5	-	5000 mg/L LC50 Oncorhynchus mykiss 96h	-	1000 mg/L EC50 Daphnia magna 48h
PARAFFIN OIL 64741-88-4	<u>-</u>	5000 mg/L LC50 Oncorhynchus mykiss 96h	-	1000 mg/L EC50 Daphnia magna 48h

Persistence and degradability

.

Bioaccumulation

F00522 - 80-771 DURA PLEX CHAIN & CABLE

Revision Date 06-Jun-2017

Chemical Name	log Pow
ACETONE 67-64-1	-0.24
PROPANE/ISOBUTANE/N-BUTANE 68476-86-8	<=2.8

Other adverse effects No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment

Waste Disposal Methods This material, as supplied, is a hazardous waste according to federal regulations (40 CFR

261). Dispose of in accordance with federal, state, and local regulations.

Contaminated packaging Do not re-use empty containers.

14. TRANSPORT INFORMATION

DOT Ground CONSUMER COMMODITY ORM-D

or

LIMITED QUANTITY

IATA UN1950, AEROSOLS, FLAMMABLE, 2.1, LTD.QTY.

IMDG UN1950, AEROSOLS, 2.1, LTD. QTY.

15. REGULATORY INFORMATION

International Inventories

Chemical Name	TSCA	DSL/NDSL	EINECS/ELI NCS	ENCS	IECSC	KECL	PICCS	AICS
ACETONE	Χ	X	X	X	X	Χ	X	Х
PROPANE/ISOBUTA NE/N-BUTANE	Х	Х	Х	Х	Х	Х	Х	Х
PETROLEUM OIL	Х	Х	X	Not listed	Х	Х	Х	Х
NAPHTHENIC OIL, SEVERLY HYDROT	Х	Х	Х	Not listed	Х	Х	Х	Х
POLYISOBUTYLENE	Х	Х	Not listed	Х	Х	Х	Х	Х
PARAFFIN OIL	Х	Х	X	Х	Х	Х	X	Х

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

CHINA - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Acute Health Hazard	Yes
Chronic Health Star Hazard	Yes
Fire Hazard	Yes
Sudden Release of Pressure Hazard	Yes
Reactive Hazard	no

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, does contain substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302):

Chemical Name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
ACETONE 67-64-1	5000 lb		RQ 5000 lb final RQ RQ 2270 kg final RQ

U.S. State Regulations

California Proposition 65

This product does not contain any known Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
ACETONE	X	X	X
67-64-1			

EPA Pesticide Registration Number Not applicable

Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the SDS contains all the information required by the CPR.

16. OTHER INFORMATION

NFPA Health Hazard 2 Flammability 4 Instability 0 Physical and chemical

hazards
HMIS Health Hazard 2 Flammability 4 Physical Hazard 1 Personal protection B

Prepared By American Jetway

34136 Myrtle Street Wayne, MI 48184

Tel.734-721-5930 06-Jun-2017

Issuing date06-Jun-2017Revision Date06-Jun-2017

Revision Note

Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of Safety Data Sheet